

INTERNAL NOTE

European XFEL L^AT_EX User Guide

January 2017

*D. Rathje and K. Ament
for European XFEL*

European X-Ray Free-Electron Laser Facility GmbH

Holzknappel 4

22869 Schenefeld

Germany



Contents

Abstract	5
Versions	6
Version 1.5.1	6
Version 1.5	6
Version 1.4.1	7
Version 1.4	7
Version 1.2	7
Version 1.1	8
Version 1.0	8
I SETTING UP L^AT_EX	9
1 Introduction	10
1.1 T _E X and L ^A T _E X.....	10
1.2 Document classes	10
1.2.1 Default classes	10
1.2.2 Custom classes	11
2 Installation	12
2.1 Installing a L ^A T _E X distribution	12
2.2 Installing a L ^A T _E X editor.....	13
2.3 Installing the European XFEL class files.....	14
2.3.1 Recommended: Installing to a project directory	14
2.3.2 Advanced: Installing to a central directory.....	15
II SETTING UP PROJECTS	17
3 Getting started	18
3.1 Creating a subdirectory structure	18
3.2 Creating a document.....	19
3.2.1 Setting the document class	19
3.2.2 Formatting the title page and footers	20
3.2.3 Adding parts, chapters, and sections.....	21

4	Document components	23
4.1	Bibliographies and citations	24
4.1.1	Bibliographies	24
4.1.1.1	Method 1: thebibliography	24
4.1.1.2	Method 2: Bib \TeX	24
4.1.2	Citations in text	26
4.1.2.1	Single citation	26
4.1.2.2	Multiple citations	26
4.2	Cross-references	27
4.2.1	Cross-referencing chapters and appendices	27
4.2.2	Cross-referencing sections, figures, and tables	28
4.3	Equations	28
4.4	Figures	29
4.5	Lists	30
4.5.1	Itemized lists	30
4.5.2	Ordered lists	30
4.5.3	Nested lists	31
4.6	Footnotes and boxes	32
4.6.1	Footnotes	32
4.6.2	Tip boxes	33
4.6.3	Caution boxes	33
4.6.4	Reference boxes	34
4.6.5	Quotation boxes	34
4.7	Tables	35
4.7.1	Definition tables	35
4.7.2	Numerical tables	36
4.8	Weblinks	37
5	Bib\LaTeX	38
5.1	Bib \LaTeX usage	38
5.2	Supported Bib \LaTeX types	39
5.2.1	@article	40
5.2.2	@book	41
5.2.3	@mvbook	42
5.2.4	@inbook	43
5.2.5	@inproceedings	44
5.2.6	@online	45
5.2.7	@report	46
5.2.8	@thesis	47

6	Options	48
6.1	Class options	48
6.2	Optional environments	49
III	REFERENCES	50
A	Bibliography	51
B	Bibliography by type	52
B.1	@article	52
B.2	@book	52
B.3	@mvbook	52
B.4	@inbook	52
B.5	@inproceedings	53
B.6	@online	53
B.7	@report	53
B.8	@thesis	53
	Index	54

Abstract

This guide describes \LaTeX document classes developed for Technical Reports, Technical Notes, and Internal Notes at European XFEL.

You can download this guide as a PDF from any of the following Alfresco sites:

- **Editing**
<https://docs.xfel.eu/share/page/site/editing/dashboard>
- **Templates**
<https://docs.xfel.eu/share/page/site/templates/dashboard>
- **XFEL Docs**
<https://docs.xfel.eu/share/page/site/xfeldocs/dashboard>

Versions

This guide is updated periodically, based on enhancements to the \LaTeX document classes. To request enhancements to the \LaTeX document classes, contact the editor, Kurt Ament <kurt.ament@xfel.eu>.

Version 1.5.1

Release date: 23 January 2017

Improvement and change:

- Added new address and logo to cover page background.

Version 1.5

Release date: 9 August 2013

Improvements and changes:

- Fixed the indentation of part entries in the table of contents (TOC).
- Added the package `csquotes` (used by `biblatex`).
- Added the package `mnsymbol` for improved mathematical typography (especially plus and minus signs).
- Added `biblatex` loading to class files.
- Added `biblatex.cfg` with adaptations of the Bib \LaTeX numeric style file to match the “References” guidelines in the *European XFEL Style Guide*.
- Added Appendix B, “Bibliography by type”, for testing and reference purposes.
- Added the `sectionWithoutNumber` command.

Version 1.4.1

Release date: 17 July 2013

Improvements and changes:

- Improved the rendering of the title page to avoid dependency on the `adjustbox` package (not available on MiKTeX).
- Fixed the indentation of second-level ordered list items.

Version 1.4

Release date: 15 June 2013

Improvements and changes:

- Updated to Version 1.4 to get in sync with the ID of this document.
- Added the `shorttitle` command to enable users to shorten document titles in document footers.
- Added the `chapterWithoutNumber` command.
- Changed that math font to sans serif.
- Improved rendering of the title page to avoid dependency on the `adjustbox` package (not available on MiKTeX).
- Fixed indentation of second-level ordered list items.
- Added Bib \LaTeX support.
- Fixed small bugs.

Version 1.2

Release date: 15 January 2013

Improvements and changes:

- Improved the font setting for enumeration labels.
- Removed hyphenation in tables and section titles (by means of the `hyphenat` package).
- Removed the `nohyphens` and `nohyphenation` commands.
- Added the `fixltx2e` package.

Version 1.1

Release date: 1 November 2012

Improvements and changes:

- Added TOCs to the beginnings of chapters.
- Changed white space setting of list environments: (a) added a blank line between lists and preceding text and (b) removed inter-item white space.
- Replaced icons for box environments.
- Renamed the `warningbox` environment to `cautionbox`.
- Removed the `tcolorbox` package from class files for compatibility with T_EXLive 2009 (Debian/Squeeze and Ubuntu).
- Adjusted font sizes on the title page.
- Adjusted the dimensions of the orange box on the title page.
- Added section and chapter numbers in PDF bookmarks.
- Created PDF bookmarks on the first compilation.
- Used `cleverref` and `varioref` for cross-referencing.
- Included the bibliography in the TOC.
- Changed the font size from 8 to 7 pt .
- Changed `footersize` from `scriptsize` to `footnotesize`.
- Changed the style of enumeration.

Version 1.0

Release date: 31 July 2012

The launch version includes the `report` document class only, based on the Microsoft Word templates developed for Technical Reports, Technical Notes, and Internal Notes at European XFEL.

Part I

SETTING UP L^AT_EX

1 Introduction

This chapter describes $\text{T}_{\text{E}}\text{X}$ $\text{L}_{\text{A}}\text{T}_{\text{E}}\text{X}$, and document classes:

1.1	$\text{T}_{\text{E}}\text{X}$ and $\text{L}_{\text{A}}\text{T}_{\text{E}}\text{X}$	10
1.2	Document classes	10
1.2.1	Default classes.....	10
1.2.2	Custom classes.....	11

1.1 $\text{T}_{\text{E}}\text{X}$ and $\text{L}_{\text{A}}\text{T}_{\text{E}}\text{X}$

$\text{T}_{\text{E}}\text{X}$ is a typesetting program “intended for the creation of beautiful books—and especially for books that contain a lot of mathematics”, as creator Donald Knuth put it [8, page v]. Although $\text{T}_{\text{E}}\text{X}$ was developed in the late 1970s, it is still widely used and has a very lively developer community. Its paragraph and math typesetting algorithms are still considered state-of-the-art. The former, for instance, has been incorporated into Adobe InDesign.

$\text{T}_{\text{E}}\text{X}$ is also a complete programming language that can be rather difficult to master. Using $\text{T}_{\text{E}}\text{X}$ becomes much easier with $\text{L}_{\text{A}}\text{T}_{\text{E}}\text{X}$, a document markup language and document preparation system for the $\text{T}_{\text{E}}\text{X}$ typesetting program.

1.2 Document classes

1.2.1 Default classes

$\text{L}_{\text{A}}\text{T}_{\text{E}}\text{X}$ provides different document classes for different types of publications.

The most commonly used classes are:

- **book**
Books with front matter (title page, TOC, foreword, introduction), body (parts, chapters, sections), and back matter (appendices, bibliography, index)
- **report**
Smaller books (title page, TOC, [parts,] chapters, and sections)

- **article**
Articles in scientific journals or short reports (sections only; no title page, parts, or chapters)
- **letter**
Written correspondence
- **slides**
Screen-based presentations

1.2.2 Custom classes

The European XFEL \LaTeX document classes are used to generate PDFs that match the look and feel of official book-length European XFEL publications (for example, technical design reports). The classes take care of the format automatically, allowing authors to focus on the content.

For the time being, only the `report` class is implemented in the European XFEL \LaTeX document classes. Other document classes may be added in future versions.

To request enhancements to the \LaTeX document classes, contact the editor, Kurt Ament <kurt.ament@xfel.eu>.

2 Installation

This chapter show you how to install a \LaTeX distribution, a \LaTeX editor, and the European XFEL \LaTeX document classes.


2.1	Installing a \LaTeX distribution.....	12
2.2	Installing a \LaTeX editor	13
2.3	Installing the European XFEL class files	14
2.3.1	Recommended: Installing to a project directory	14
2.3.2	Advanced: Installing to a central directory.....	15

2.1 Installing a \LaTeX distribution

Before you can use the European XFEL \LaTeX document classes, you need to have \TeX and \LaTeX installed on your system.

The European XFEL \LaTeX document classes have been tested with the following \LaTeX distributions:

- **MiKTeX 2.9**
Available through DESY NetInstall for Windows.
- **\TeX Live 2011**
Availabe for Windows, Linux, and MacOS.
- **\TeX Live 2009**
For the time being, \TeX Live 2009 can be used to support Debian/Squeeze and related Ubuntu versions. This may change with the release of Debian/Wheezy (in 2013).

 To compile \LaTeX documents, you have to use pdf \LaTeX 1.40 or higher.

2.2 Installing a \LaTeX editor

Although \LaTeX can be used from the command line, there are many free \LaTeX editors available as well.

The following \LaTeX editors are recommended:

- **Eclipse with \TeX lipse**

<http://www.eclipse.org>

<http://texlipse.sourceforge.net>

Platform: Windows, MacOS, or Linux.

Eclipse is a free multi-purpose development environment that comes with handy text comparison tools for easy change management. \TeX lipse is a free plug-in for Eclipse that allows you to compile \LaTeX documents within Eclipse.

- **\TeX nicCenter**

<http://www.texniccenter.org>

Platform: Windows only. Available through DESY NetInstall.

\TeX nicCenter is a free feature-rich and easy-to-use integrated environment for creating \LaTeX documents on the Windows platform.

- **\TeX maker**

<http://www.xm1math.net/texmaker/>

Platform: Windows, MacOS, or Linux.

\TeX maker is a free multi-platform \LaTeX development environment.

- **\TeX Shop**

<http://pages.uoregon.edu/koch/texshop/>

Platform: MacOS.

\TeX shop shop is a free \LaTeX development environment for MacOS.

2.3 Installing the European XFEL class files

To make the European XFEL \LaTeX document classes available on your system, install them in one of the following locations:

- **Project directory** (recommended)
Use the files for one particular project only. For instructions, see Section 2.3.1, “Recommended: Installing to a project directory”.
- **Central directory**
Share the files across different publication projects. For instructions, see Section 2.3.2, “Advanced: Installing to a central directory”.

2.3.1 Recommended: Installing to a project directory

As a rule, it is recommended that you copy the files of the European XFEL \LaTeX document classes into the directory of your publication project.

To install the European XFEL class files to your project directory, follow these steps:

- 1 Create or open the directory of your publication project.
- 2 Get the latest version of the European XFEL \LaTeX document classes from one of the following Alfresco sites:
 - **Editing**
<https://docs.xfel.eu/share/page/site/editing/dashboard>
 - **Templates**
<https://docs.xfel.eu/share/page/site/templates/dashboard>
- 3 Unzip the file to your project directory.

2.3.2 Advanced: Installing to a central directory

If you work on multiple publication projects and want them to share the same installation of the European XFEL \LaTeX document classes, you can install the classes to a central directory and then create subdirectories for each publication project.

To install European XFEL class files to a central directory, follow these steps:

- 1 Find the directory where \TeX is located on your machine.

At the command line, enter the following:

```
kpsepath tex
```

The result is a list of folder names.

- 2 In this list, locate the main directory of \TeX , which ends with `-dist` (for the purposes of this procedure, `<texdirectory>`).
- 3 Move to the `<texdirectory>` directory by typing:

```
cd <texdirectory>
```

- 4 Create a subfolder `xfel` in that directory by typing:

```
mkdir xfel
```

- 5 Get the latest version of the European XFEL \LaTeX document classes from one of the following Alfresco sites:

- **Editing**
<https://docs.xfel.eu/share/page/site/editing/dashboard>
- **Templates**
<https://docs.xfel.eu/share/page/site/templates/dashboard>

- 6 Unzip the file to your project directory.

7 Update the T_EX system:

■ MiK_TE_X

Type the following:

```
initexmf --update-fndb
```

For MiK_TE_X 2.7 or later installed on Windows XP or later, you can use the GUI:

- a Click **Start > All Programs > MiK_TE_X > Settings**.
- b In the Settings menu, choose the first tab and click **Refresh FNDB**.

MiK_TE_X will check the Program Files directory and update the list of the File Name DataBase.

- c When it is done, click **OK**.

■ T_EX Live

Type the following:

```
texhash
```

For more about installing class files into a central directory, see the following:

http://en.wikibooks.org/wiki/LaTeX/Packages/Installing_Extra_Packages

Part II

SETTING UP PROJECTS

3 Getting started

This chapter explains how to set up a subdirectory structure for your \LaTeX project, create a simple document, and add parts, chapters, and sections to the document.

3.1	Creating a subdirectory structure	18
3.2	Creating a document	19
3.2.1	Setting the document class	19
3.2.2	Formatting the title page and footers	20
3.2.3	Adding parts, chapters, and sections	21

3.1 Creating a subdirectory structure

If you use multiple content files for your project (for instance, one file per chapter), it is recommended that you put one main file in your project directory and the other files in the subdirectory `/content`.

If you include images in your document, the European XFEL document classes will automatically look for them in the subdirectory `/content/images`.

- **/content**
Content (`*.tex`) files that are included via the `\include` or `\input` command within the main file¹
- **/content/images**
Image (`*.gif`, `*.jpg`, `*.pdf`, `*.png`) files

¹The `\include` command inserts a page break, but it comes with the handy `\includeonly` command for partial compiling of the main file.

3.2 Creating a document

Create a new document with the filename suffix `.tex` in your publication project directory (for instance, `myreport.tex`). For filenames, use lower-case letters, digits, hyphens (`-`), and underscores (`_`). Avoid blank spaces in filenames.

Make sure that the character encoding of this document is set to Unicode (either UTF-8 or UTF-16).

The simplest document comprises the following lines:

```
% Sets the class to format the document as a report.
\documentclass{xfel.eu-report}
% Sets the metadata used to typeset the title page.
\documentid{XFEL.EU IN-2012-003-01}
\documenttype{Internal Note}
\title{European XFEL \LaTeX\ User Guide}
\date{October 2012}
\author{D. Rathje and K. Ament}
\authoraffiliation{for European XFEL}
\begin{document}
% Add your document text here.
\end{document}
```

3.2.1 Setting the document class

To format your document as a European XFEL report, begin your `.tex` file with the following line:

```
\documentclass{xfel.eu-report}
```

3.2.2 Formatting the title page and footers

To structure the title page, type the following commands:

```
\documentid{XFEL.EU TR-2011-002}
\documenttype{Technical Design Report}
\title{X-Ray Optics and Beam Transport}
\date{April 2011}
\author{H. Sinn, J. Gaudin, L. Samoylova, A. Trapp, and G. Galasso}
\authoraffiliation{for X-Ray Optics and Beam Transport (WP73)
at European XFEL}
```

You must enter the following commands:

- `\documentid{<documentid>}`
Number of the report.
- `\documenttype{<documenttype>}`
Type of report.
- `\title{<title>}`
Exact title of the report.
- `\date{<date>}`
Month and year in which the report was published.
- `\author{<author>}`
First initial and last name of the authors.
- `\authoraffiliation{<authoraffiliation>}`
Work package group name and number.

3.2.3 Adding parts, chapters, and sections

To structure your document, you can add parts, chapters, appendices, sections, and subsections:

```
\chapter{Getting started}
This chapter explains how to set up a subdirectory structure for your \LaTeX\
project, create a simple document, and add parts, chapters, and sections to
the document.

\section{Creating a document}
Create a new document with the filename suffix {\tt .tex} in your publication
project directory (for instance, {\tt myreport.tex}).
```

To give your report a structure, use the following commands:

- `\part{<title>}`
Optional. Creates a document part beginning with a capitalized Roman numeral.
Example: “I Overview”
- `\chapter{<title>}`
Mandatory. Creates a chapter beginning with a whole number.
Example: “3 Getting started”
- `\section{<title>}`
Optional. Creates a chapter section with a decimal number.
Example: “4.2 Creating documents”
- `\subsection{<title>}`
Optional. Creates a chapter subsection with a decimal number.
Example: “4.2.3 Adding parts, chapters, and sections”
- `\subsubsection{}`
Optional. Creates a chapter subsubsection with a decimal number.
Example: “4.2.3.1 Adding parts”

Body text does not require any commands, just text. Use double line breaks to create paragraphs.

- ❗ Adding a single line break to the input file does not affect the text flow in the output file.

Input

Body text does not require any commands, just text.

To create a paragraph break in the output file,
add two line breaks to the input file.

Output

Body text does not require any commands, just text.

To create a paragraph break in the output file, add two line breaks to the input file.

4 Document components

This chapter explains how to use basic document components.

4.1	Bibliographies and citations	24
4.1.1	Bibliographies	24
4.1.1.1	Method 1: thebibliography	24
4.1.1.2	Method 2: BibT _E X	24
4.1.2	Citations in text	26
4.1.2.1	Single citation	26
4.1.2.2	Multiple citations	26
4.2	Cross-references	27
4.2.1	Cross-referencing chapters and appendices	27
4.2.2	Cross-referencing sections, figures, and tables	28
4.3	Equations	28
4.4	Figures	29
4.5	Lists	30
4.5.1	Itemized lists	30
4.5.2	Ordered lists	30
4.5.3	Nested lists	31
4.6	Footnotes and boxes	32
4.6.1	Footnotes	32
4.6.2	Tip boxes	33
4.6.3	Caution boxes	33
4.6.4	Reference boxes	34
4.6.5	Quotation boxes	34
4.7	Tables	35
4.7.1	Definition tables	35
4.7.2	Numerical tables	36
4.8	Weblinks	37

4.1 Bibliographies and citations

This section explains how to add a bibliography to your document and then cite bibliographical references in the text of that document.

4.1.1 Bibliographies

There are two methods for adding a bibliography at the end of your \LaTeX document.

4.1.1.1 Method 1: `thebibliography`

The first method is to use `thebibliography` environment:

```
\begin{thebibliography}{99}
\bibitem{texbook} D. E. Knuth: \emph{The TEXbook},
Addison-Wesley, Reading, Massachusetts, second edition, 1984
\end{thebibliography}
```

This method is a convenient way to handle small bibliographies, although it comes with two drawbacks: (a) you have to manually format each bibliography item and (b) you have to reformat it when you are required to change the bibliography style. This method is good for short \LaTeX documents.

4.1.1.2 Method 2: `BibTeX`

The second method is to use `BibTeX`. For the time being, there is no `BibTeX` support for the European XFEL \LaTeX classes. If you are in need of such support, contact the editor, Kurt Ament <kurt.ament@xfel.eu>.

Table 4.1 shows the bibliography style defined in the *European XFEL Style Guide* [3, “References”, p. 51].

Table 4.1: European XFEL bibliography style [3, p. 51]

Guideline	Example
BOOK authors: <i>title</i> (publisher, city year)	[1] N. Wiener: <i>Extrapolation, Interpolation, and Smoothing of Stationary Time Series</i> (MIT Press, Cambridge, Massachusetts 1949)
TECHNICAL REPORT authors: "title", number (year)	[2] G. Geloni, V. Kocharyan, E. Saldin: "Cascade self-seeding scheme with wake monochromator for narrow-bandwidth X-ray FELs", DESY 10-080 (2010)
JOURNAL ARTICLE authors: "title", journal, volume, pages (year)	[3] M. Altarelli, R.P. Kurta, I.A. Vartanyants: "X-ray cross-correlation analysis and local symmetries of disordered systems: General theory", Phys. Rev. B, 82, 104207 (2010)
PROCEEDINGS PAPER authors: "title", conference, city (year)	[4] E.L. Saldin, E.A. Schneidmiller, M.V. Yurkov: "Expected Properties of the Radiation from a Soft X-ray SASE FEL (SASE3) at the European XFEL", Proc. FEL 2009, Liverpool (2009)
MANY AUTHORS author1, author2, author3 et al.: ... editor1, editor2, editor3 et al. (eds.): ...	[5] M. Altarelli, R. Brinkmann, M. Chergui et al. (eds.): "Technical Design Report: The European X-Ray Free-Electron Laser", DESY Report 2006-097 (2006)

4.1.2 Citations in text

You can cite individual or multiple references in text.

4.1.2.1 Single citation

To cite a single references in text, use the `\cite{}` command.

Input

```
\cite{the-tex-book} or \cite[p. 82]{texbook}
```

Output

```
[8] or [8, p. 82]
```

4.1.2.2 Multiple citations

To cite multiple references in text, use the `\cites{}` command.

Input

```
\cites{the-tex-book}[p. 82]{xfel-tdr-2006}
```

Output

```
[8; 1, p. 82]
```

4.2 Cross-references

For cross-references, you can use the following commands, where `<label>` is a label defined within the targetted object:

- `\ref{<label>}`
Prints the number of the referenced object. You must explicitly type `Chapter`, `Appendix`, `Section`, `Figure`, or `Table`. To keep the object and number on the same line, type a tilde (for example, `Chapter~\ref{<label>}`).
- `\nameref{<label>}`
Prints the name of the referenced object (for example, “Cross-references”).
- `\vref{<label>}`
Prints the type of the referenced object (`Chapter`, `Appendix`, `Section`, `Figure`, or `Table`) and its page number. For targets on adjacent pages, it uses “on the preceding page”, “on this page”, “on the current page”, or “on the next page”.

4.2.1 Cross-referencing chapters and appendices

To cross-reference a chapter or appendix, use `\ref{<label>}` and `\nameref{<label>}`.

Input

```
For details, see Chapter~\ref{chap:document-components},  
‘\nameref{chap:document-components}’.
```

Output

```
For details, see Chapter 4, “Document components”.
```

4.2.2 Cross-referencing sections, figures, and tables

To cross-reference a section, figure, or table, use `\vref{<label>}`.

Input

```
For details, see \vref{tab:bibliographystyle}.
```

Output

For details, see Table 4.1 on page 25.

4.3 Equations

When adding equations, use the `equation` environment.

Input

```
\begin{equation}
E = mc^2
\label{eq:massenergyrelation}
\end{equation}
```

Output

$$E = mc^2 \tag{4.1}$$

4.4 Figures

Put the images for your document in the `/content/images` subfolder of your project folder. Use one of the following formats: PDF, EPS, GIF, JPG, or PNG.

- ➔ EPS files are automatically converted to PDF files. The first time you build a file, this conversion could take some time.

To add a figure to your document, use the `figure` command, as follows:

```
\begin{figure}[h]
\includegraphics[width=\textwidth]{beamline-layout_rgb.pdf}
\caption{Layout of the photon beam systems at the European XFEL facility.}
\label{fig:beta-parameter}
\end{figure}
```

This command syntax produces the following figure and caption:




Figure 4.1: Layout of the photon beam systems at the European XFEL facility.

4.5 Lists

This section shows how to produce lists.

4.5.1 Itemized lists

To produce itemized lists, use the `itemize` environment.

Input

```
\begin{itemize}
  \item Item 1
  \item Item 2
\end{itemize}
```

Output

- Item 1
- Item 2

4.5.2 Ordered lists

To produce ordered lists, use the `enumerate` environment.

Input

```
\begin{enumerate}
  \item Item 1
  \item Item 2
\end{enumerate}
```

Output

- 1 Item 1
- 2 Item 2

4.5.3 Nested lists

You can nest lists (itemized and ordered) up to three levels.

Input

```
\begin{enumerate}
  \item Item 1
  \begin{itemize}
    \item Item 1.1
      \begin{itemize}
        \item Item 1.1.1
      \end{itemize}
    \end{itemize}
  \end{itemize}
  \item Item 2
  \begin{enumerate}
    \item Item 2.1
      \begin{enumerate}
        \item Item 2.1.1
        \item Item 2.1.2
      \end{enumerate}
    \end{enumerate}
  \end{itemize}
\end{enumerate}
```

Output

- 1** Item 1
 - Item 1.1
 - Item 1.1.1
- 2** Item 2
 - a** Item 2.1
 - i** Item 2.1.1
 - ii** Item 2.1.2

4.6 Footnotes and boxes

This section describes how to use footnotes and boxes.

4.6.1 Footnotes

To produce itemized lists, use the `footnote` environment.

Input

```
 Lorem ipsum dolor sit amet, consectetur adipiscing elit\footnote{Lorem ipsum
 dolor sit amet, consectetur adipiscing elit.}. Ut purus elit, vestibulumut,
 placerat ac, adipiscing vitae, felis\footnote{Ut purus elit, vestibulumut,
 placerat ac, adipiscing vitae, felis.}. Curabitur dictum gravida
 mauris\footnote{Curabitur dictum gravida mauris.arco libero,
 nonummy eget, consectetur id, vulputate a, magna.}.
 Donec vehicula augue eu neque\footnote{Donec vehicula augue eu neque.}.
```

Output

Lorem ipsum dolor sit amet, consectetur adipiscing elit^a. Ut purus elit, vestibulumut, placerat ac, adipiscing vitae, felis^b. Curabitur dictum gravida mauris^c. Donec vehicula augue eu neque^d.

^aLorem ipsum dolor sit amet, consectetur adipiscing elit.

^bUt purus elit, vestibulumut, placerat ac, adipiscing vitae, felis.

^cCurabitur dictum gravida mauris.arco libero, nonummy eget, consectetur id, vulputate a, magna.

^dDonec vehicula augue eu neque.

4.6.2 Tip boxes

For helpful but non-essential tips, use the `tipbox` environment, which includes the following icon: ⓘ.

Input

```
\begin{tipbox}
Use a tip box for helpful but non-essential tips
(for example, on information how to create an em dash
in Microsoft Word)
\end{tipbox}
```

Output

ⓘ Use a tip box for helpful but non-essential tips (for example, on information how to create an em dash in Microsoft Word)

4.6.3 Caution boxes

For cautions about actions that can have in negative consequences, use the `cautionbox` environment, which includes the following icon: ▲.


Input

```
\begin{cautionbox}
Use a caution box for notes about actions
that can have in negative consequences.
\end{cautionbox}
```

Output

▲ Use a caution box for notes about actions that can result in negative consequences.


4.6.4 Reference boxes

For cross-references to related topics in the current or another document, use the `referencebox` environment, which includes the following icon: .


Input

```
\begin{referencebox}
Use a reference box for cross-references
to related topics in the current or another document.
\end{referencebox}
```

Output

 Use a reference box for cross-references to related topics in the current or another document.


4.6.5 Quotation boxes

For quotes from other sources, use the `quotationbox` environment, which includes the following icon: .

Input

```
\begin{quotationbox}
Use a quotation box for quotes from other sources.
\end{quotationbox}
```

Output

 Use a quotation box for quotes from other sources.

4.7 Tables

This section shows examples of tables in the European XFEL \LaTeX classes. When designing tables, avoid vertical lines and double lines. To separate sections of table, use different widths of lines: `\toprule`, `\midrule`, and `\bottomrule`.

4.7.1 Definition tables

To produce a table with terms in the left column and definitions in the right column, use the `table` command with the following syntax:

```
\begin{table}[ht]
  \caption{This is the caption of the table. }
  \begin{tabularx}{\textwidth}{@{}>{\sf\bfseries}l>{\sf}X@{}}
    \toprule
    Force & Rate of change
    of the momentum of the body that would be induced by that
    vector quantity acting alone\\
    \midrule
    Moment of a force & With respect to an origin,
    the cross product of the position vector (with
    respect to the same origin) and the force\\
    \bottomrule
  \end{tabularx}
  \label{tab:table1}
\end{table}
```

This command syntax produces the following table:

Table 4.2: This is the caption of the table.

Force	Rate of change of the momentum of the body that would be induced by that vector quantity acting alone
Moment of a force	With respect to an origin, the cross product of the position vector (with respect to the same origin) and the force

4.7.2 Numerical tables

To produce a table with numbers that line up horizontally at the decimal point, use `S` for table cell alignment:

```
\begin{table}[ht]
\caption{Beam size (FWHM) at the different beamline components in the
\em intermediate focusing scheme after CRL-2}
\label{beam_size_second_table}
\footnotesize
\begin{tabular}{p{3cm} S S S S S S}
\toprule
& & \bf{5 keV} & & \bf{8 keV} & & \bf{12 keV} & & \bf{16 keV} & & \bf{25 keV} & \\
\bf{Device} & \bf{Position [m]} & \bf{Size [\textmu m]} & \bf{Size [\textmu m]} & \bf{Size [\textmu m]} & \bf{Size [\textmu m]} & \bf{Size [\textmu m]} & \bf{Size [\textmu m]} & \bf{Size [\textmu m]} & \bf{Size [\textmu m]} & \bf{Size [\textmu m]} & \\
& \bf{Size [\textmu m]} & \bf{Size [\textmu m]} & \bf{Size [\textmu m]} & \bf{Size [\textmu m]} & \bf{Size [\textmu m]} & \bf{Size [\textmu m]} & \bf{Size [\textmu m]} & \bf{Size [\textmu m]} & \bf{Size [\textmu m]} & \bf{Size [\textmu m]} & \\
\midrule
Shutter-2 & 940 & 262 & 191 & 147 & 123 & 95 & & & & & \\
\midrule
Monochromator-2 & 948 & 156 & 113 & 87 & 73 & 57 & & & & & \\
\midrule
Split and delay line & 951.5 & 109 & 80 & 62 & 52 & 40 & & & & & \\
\midrule
Shutter-3 & 953.5 & 83 & 61 & 47 & 40 & 31 & & & & & \\
\midrule
Mirror & 955 & 63 & 47 & 37 & 31 & 24 & & & & & \\
\midrule
Sample position & 959.5 & 18 & 16 & 14 & 12 & 10 & & & & & \\
\midrule
Beam stop & 968 & 116 & 84 & 65 & 55 & 42 & & & & & \\
\bottomrule
\end{tabular}
\end{table}
```

This command syntax produces the following table and caption:

Table 4.3: Beam size (FWHM) at the different beamline components in the *intermediate focusing scheme after CRL-2*

Device	Position [m]	5 keV Size [μm]	8 keV Size [μm]	12 keV Size [μm]	16 keV Size [μm]	25 keV Size [μm]
Shutter-2	940	262	191	147	123	95
Monochromator-2	948	156	113	87	73	57
Split and delay line	951.5	109	80	62	52	40
Shutter-3	953.5	83	61	47	40	31
Mirror	955	63	47	37	31	24
Sample position	959.5	18	16	14	12	10
Beam stop	968	116	84	65	55	42

4.8

Weblinks

To create web links, use the `href` command.

Input

```
\href{http://www.xfel.eu}
```

```
\href{http://www.xfel.eu}{www.xfel.eu}
```

Output

```
http://www.xfel.eu
```

```
www.xfel.eu
```

5 Bib \LaTeX

The European XFEL \LaTeX classes ship with support for the Bib \LaTeX package, which is based on Bib \TeX . For details about Bib \LaTeX , see the Bib \LaTeX documentation [9].

- ➔ To see the references cited in this guide listed by Bib \LaTeX type, go to Appendix B, “Bibliography by type”.

5.1 Bib \LaTeX usage

To link your \LaTeX -document to a `.bib` file, use the `bibliography` command.

```
\bibliography{<name of .bib file>}
```

To render the bibliography itself, use the `printbibliography` command.

```
\printbibliography[heading=bibnumbered]
```

- ⓘ To generate a bibliography, run (a) \LaTeX once, (b) Bib \TeX twice, and (c) \LaTeX again.

5.2 Supported Bib \LaTeX types

The European XFEL \LaTeX classes have been tested with these Bib \LaTeX types¹:

- **@article**
Article in a journal, magazine, newspaper, or other periodical that forms a self-contained unit with its own title.
- **@book**
Single-volume book with one or more authors where the authors share credit for the work as a whole.
- **@mvbook**
Multiple-volume book with one or more authors where the authors share credit for the work as a whole.
- **@inbook**
Part of a book that forms a self-contained unit with its own title.
- **@inproceedings**
Article in a conference proceeding.
- **@online**
Online resource. This entry type is intended for online resources, such as websites.
- **@report**
Technical report, research report, or white paper published by a university or some other institution. Use the `type` field to specify the type of report.
- **@thesis**
Thesis written for an educational institution to satisfy the requirements for a degree.

Other bibliographical entry types may work as well. To add a bibliographical entry type, contact the editor, Kurt Ament <kurt.ament@xfel.eu>.

¹The type descriptions are taken from the Bib \LaTeX manual.

5.2.1

@article

You can use the Bib \LaTeX type @article for an article in a journal, magazine, newspaper, or other periodical that forms a self-contained unit with its own title.

Field	Mandatory?	Description
author	Yes	Author(s) of the article
title	Yes	Title of the article
date year month	Yes	Date of publication
journal journaltitle	Yes	Title of the periodical
volume	No	Volume of the journal
issue	No	Issue of the journal
pages	No	One or more page numbers or page ranges
numpages	No	Number of pages
publisher	No	Publisher of the journal
doi	No	DOI of the article
url	No	URL of the article

Bib \TeX input

```
@article{PhysRevB.82.104207,  
title = {X-ray cross-correlation analysis and local  
symmetries of disordered systems: General theory},  
author = {Altarelli, M. and Kurta, R. P. and Vartanyants, I. A.},  
journaltitle = {Phys. Rev. B},  
volume = {82},  
issue = {10},  
pages = {104207},  
numpages = {13},  
date = {2010-09},  
doi = {10.1103/PhysRevB.82.104207},  
url = {http://link.aps.org/doi/10.1103/PhysRevB.82.104207},  
publisher = {American Physical Society}  
}
```

Citation input

```
\cite{PhysRevB.82.104207}
```

Citation output

```
[2]
```


5.2.2

@book

You can use the Bib \LaTeX type @book for an single-volume book with one or more authors where the authors share credit for the work as a whole.

Field	Mandatory?	Description
author editor	Yes	Author(s) or editors(s) of the book
title	Yes	Title of the book
date year month	Yes	Year of publication
publisher	Yes	Name of the publisher
location	No	Location of the publisher
subtitle	No	Subtitle of the book
edition	No	Edition of the book
origdate	No	Publication date of the original edition if the work is a translation, a reprint, or something similar
doi	No	DOI of the book

Bib \TeX input

```
@book{the-tex-book,  
  author = {Donald Knuth},  
  title = {The  $\TeX$  book},  
  date = {1984}  
  publisher = {Addison-Wesley Longman, Amsterdam}  
}
```

Citation input

```
\cite{the-tex-book}
```

Citation output

```
[8]
```

5.2.3

@mvbook

You can use the Bib \LaTeX type @mvbook for a multiple-volume book with one or more authors where the authors share credit for the work as a whole.

Field	Mandatory?	Description
author editor	mandatory	Author(s) or editor(s) of the book
title	Yes	Title of the book
date year month	Yes	Year of publication
publisher	Yes	Name of the publisher
subtitle	No	Subtitle of the book
edition	No	edition of the book
origdate	No	Dublication date of the original edition if the work is a translation, a reprint, or something similar
location	No	Location of the publisher
volumes	No	Number of volumes
doi	No	DOI of the book

Bib \TeX input

```
@mvbook{Weinberg,
  author = {Steven Weinberg},
  title = {The Quantum Theory of Fields},
  date = {2005},
  volumes = {3},
  publisher = {Cambridge University Press},
  location = {Cambridge}
}
@book{Weinberg1,
  title = {The Quantum Theory of Fields: Foundations},
  date = {2005},
  volume = {1},
  pagetotal = {609},
  crossref = {Weinberg},
}
```

Citation input

```
\cite{Weinberg} with part \cite{Weinberg1}
```

Citation output

```
[11] with part [12]
```

5.2.4

@inbook

You can use the Bib \LaTeX type @inbook for a part of a book that forms a self-contained unit with its own title.

Field	Mandatory?	Description
author	Yes	Author(s) of the book
title	Yes	Title of the book
date year/month	Yes	Year of publication
booktitle	Yes	Title of the containing book
publisher	Yes	Name of the publisher
subtitle	No	Subtitle of the book
location	No	Location of the publisher
doi	No	DOI of the containing book

Bib \TeX input

```
@book{botan-hazleton-public-relations-theory,
  editor = {Botan, Carl H. and Hazleton, Vincent Jr},
  title = {Public Relations Theory},
  date = {1989},
  publisher = {Lawrence Erlbaum Associates},
  location = {Hillsdale et al.}
}
@inbook{botan-hazleton-public-relations-theory-introduction,
  author = {Botan, Carl H. and Hazleton, Vincent Jr},
  title = {The Role of Theory in Public Relations.},
  pages = {3--15},
  crossref = {botan-hazleton-public-relations-theory},
}
```

Citation input

```
\cite{botan-hazleton-public-relations-theory-introduction}
```

Citation output

```
[5]
```

5.2.5

@inproceedings

You can use the Bib \LaTeX type @inproceedings for an article in a conference proceeding.

Field	Mandatory?	Description
author	Yes	author(s) of the contribution
title	Yes	Title of the contribution
date year month	Yes	Year of publication
booktitle	Yes	Title of the containing book
publisher	Yes	Name of the publisher
editor	No	Subtitle of the containing book
location	No	Location of the publisher
doi	No	DOI of the proceeding

Bib \TeX input

```
@inproceedings{proceedings-FEL2009-saldin-et-al,  
  author = {E. L. Saldin and E. A. Schneidmiller and M. V. Yurkov},  
  title = {Expected Properties of the Radiation from a Soft X-ray SASE FEL  
(SASE3) at the European XFEL},  
  booktitle = {Proceedings FEL2009, Liverpool, UK},  
  date = {2009}  
}
```

Citation input

```
\cite{proceedings-FEL2009-saldin-et-al}
```

Citation output

```
[10]
```

5.2.6

@online

You can use the Bib \LaTeX type @online for an online resource. This entry type is intended for online resources, such as websites.

Note that all entry types support the `url` field. For example, when adding an article from an online journal, it may be preferable to use the @article type and its `url` field.

Field	Mandatory?	Description
author editor	Yes	Author(s) or editor(s) of the resource
title	Yes	Title of the resource
url	Yes	URL of the resource
urldate	Yes	Date of the last check

Bib \TeX input

```
@online{xfel.eu,  
  author = {European XFEL GmbH},  
  title = {www.xfel.eu},  
  url = {http://www.xfel.eu},  
  urldate = {2013-04-25}  
}
```

Citation input

```
\cite{xfel.eu}
```

Citation output

```
[7]
```

5.2.7

@report

You can use the Bib \LaTeX type @report for a technical report, research report, or white paper published by a university or some other institution.

Use the type field to specify the type of report. The sponsoring institution goes in the institution field.

Field	Mandatory?	Description
author	Yes	Author(s) of the report
title	Yes	Title of the report
date year month	Yes	Date or year and month of the report
institution	Yes	Name of the sponsoring institution
type	Yes	Type of report (e.g. Technical Report)
number	Yes	Number of the report
doi	No	DOI of the report

Bib \TeX input

```
@report{european-xfel-style-guide-2011,  
  author = {K. Ament and et al.},  
  title = {European XFEL Style Guide},  
  type = {Technical Report},  
  institution = {European XFEL},  
  number = {XFEL.EU IN-2011-001},  
  date = {2011}  
}
```

Citation input

```
\cite{european-xfel-style-guide-2011}
```

Citation output

```
[3]
```

5.2.8

@thesis

You can use the Bib \LaTeX type @thesis for a thesis written for an educational institution to satisfy the requirements for a degree. Use the `type` field to specify the type of thesis.

Field	Mandatory?	Description
<code>author</code>	Yes	Author(s) of the thesis
<code>title</code>	Yes	Title of the thesis
<code>date year month year</code>	Yes	Date or year of the thesis
<code>institution</code>	Yes	Name of the educational institution
<code>type</code>	Yes	Type of the thesis (e.g. bachelor thesis, master thesis, doctoral thesis, or Ph.D. thesis)
<code>doi</code>	No	DOI of the thesis

Bib \TeX input

```
@thesis{einsteins-doctoral-thesis,  
  author = {Albert Einstein},  
  title = {A New Determination of Molecular Dimensions},  
  date = {1905},  
  type = {Doctoral thesis},  
  institution = {Zurich Polytechnic},  
}
```

Citation input

```
\cite{einsteins-doctoral-thesis}
```

Citation output

```
[6]
```

6 Options

This chapter describes class options and optional environments.

6.1 Class options	48
6.2 Optional environments.....	49

6.1 Class options

The European XFEL \LaTeX document classes come with options that can be set with the declaration of the class at the beginning of a document.

For this declaration, just put a comma-separated list of options in square brackets between the `documentclass` command and the document class name:

```
\documentclass[<option1>, <option2>, <option3>]{xfel.eu-report}
```

You can use one of the following options:

- `draftwatermark`
Print a watermark label “draft” on each page of the document.
- `nosecnum`
Use unnumbered chapter and section labels.
- `notableofcontents`
Hide the table of contents.
- `notitlepage`
Hide the title page.
- `twoside`
Alternate running footers.

6.2 Optional environments

The European XFEL \LaTeX document classes come with additional supplementary environments that can be used to influence the output.

A \LaTeX environment is declared with the following syntax:

```
\begin{<environmentname>}  
...  
\end{<environmentname>}
```

Currently, we offer one such environment:

- `fullwidth`
Expands the width of the live area from the text width to the page width (excluding the page border).

Part III

REFERENCES

A Bibliography

- [1] M. Altarelli, R. Brinkmann, M. Chergui, et al. (eds.): “Technical Design Report: The European X-Ray Free-Electron Laser”, DESY Report 2006-097 (2006)
- [2] M. Altarelli, R. P. Kurta, I. A. Vartanyants: “X-ray cross-correlation analysis and local symmetries of disordered systems: General theory”, *Phys. Rev. B* **82**, 104207 (2010) doi:10.1103/PhysRevB.82.104207
- [3] K. Ament, et al.: “European XFEL Style Guide”, XFEL.EU IN-2011-001 (2011)
- [4] C. H. Botan, V. J. Hazleton (eds.): *Public Relations Theory* (Lawrence Erlbaum Associates, Hillsdale et al., 1st ed. 1989)
- [5] C. H. Botan, V. J. Hazleton: “The Role of Theory in Public Relations.”, in: C. H. Botan, V. J. Hazleton (eds.): *Public Relations Theory*, 3–15 (Lawrence Erlbaum Associates, Hillsdale et al., 1st ed. 1989)
- [6] A. Einstein: “A New Determination of Molecular Dimensions”, Doctoral thesis (Zurich Polytechnic 1905)
- [7] European XFEL GmbH: www.xfel.eu, <http://www.xfel.eu> (visited on April 25, 2013)
- [8] D. Knuth: *The T_EXbook* (Addison-Wesley Longman, Amsterdam 1984)
- [9] P. Lehman: *The biblatex Package, Programmable Bibliographies and Citations* (2013)
- [10] E. L. Saldin, E. A. Schneidmiller, M. V. Yurkov: “Expected Properties of the Radiation from a Soft X-ray SASE FEL (SASE3) at the European XFEL”, Proc. FEL 2009, Liverpool (2009)
- [11] S. Weinberg: *The Quantum Theory of Fields*, 3 vols. (Cambridge University Press, Cambridge 2005)
- [12] S. Weinberg: *The Quantum Theory of Fields*, vol. 1: *The Quantum Theory of Fields: Foundations*, 3 vols. (Cambridge University Press, Cambridge 2005)

B Bibliography by type

This appendix lists the references in Appendix A, “Bibliography”, by Bib \LaTeX type.

➔ For details about Bib \LaTeX types, see Section 5.2, “Supported Bib \LaTeX types”.

B.1 @article

- [2] M. Altarelli, R. P. Kurta, I. A. Vartanyants: “X-ray cross-correlation analysis and local symmetries of disordered systems: General theory”, *Phys. Rev. B* **82**, 104207 (2010) doi:10.1103/PhysRevB.82.104207

B.2 @book

- [4] C. H. Botan, V. J. Hazleton (eds.): *Public Relations Theory* (Lawrence Erlbaum Associates, Hillsdale et al., 1st ed. 1989)
- [8] D. Knuth: *The \TeX book* (Addison-Wesley Longman, Amsterdam 1984)
- [12] S. Weinberg: *The Quantum Theory of Fields*, vol. 1: *The Quantum Theory of Fields: Foundations*, 3 vols. (Cambridge University Press, Cambridge 2005)

B.3 @mvbook

- [11] S. Weinberg: *The Quantum Theory of Fields*, 3 vols. (Cambridge University Press, Cambridge 2005)

B.4 @inbook

- [5] C. H. Botan, V. J. Hazleton: “The Role of Theory in Public Relations.”, in: C. H. Botan, V. J. Hazleton (eds.): *Public Relations Theory*, 3–15 (Lawrence Erlbaum Associates, Hillsdale et al., 1st ed. 1989)

B.5 @inproceedings

- [10] E. L. Saldin, E. A. Schneidmiller, M. V. Yurkov: “Expected Properties of the Radiation from a Soft X-ray SASE FEL (SASE3) at the European XFEL”, Proc. FEL 2009, Liverpool (2009)

B.6 @online

- [7] European XFEL GmbH: www.xfel.eu, <http://www.xfel.eu> (visited on April 25, 2013)

B.7 @report

- [1] M. Altarelli, R. Brinkmann, M. Chergui, et al. (eds.): “Technical Design Report: The European X-Ray Free-Electron Laser”, DESY Report 2006-097 (2006)
[3] K. Ament, et al.: “European XFEL Style Guide”, XFEL.EU IN-2011-001 (2011)

B.8 @thesis

- [6] A. Einstein: “A New Determination of Molecular Dimensions”, Doctoral thesis (Zurich Polytechnic 1905)

Index

- abstract, LaTeX guide, 5
- adding parts, chapters, and sections, 21
- Adobe InDesign, 10
- Alfresco downloads
 - LaTeX guide, 5
 - LaTeX template, 14
- article
 - BibLaTeX
 - example, 52
 - type, 40
 - class, 11
- author command, 20
- authoraffiliation command, 20

- BibLaTeX
 - types
 - descriptions, 39
 - examples, 52
 - usage, 38
- bibliography
 - by type, 52
 - citations, 26
 - references, 24
 - style, European XFEL, 24
- BibTeX, 24
- book
 - BibLaTeX
 - example, 52
 - type, 41
 - class, 10
- boxes
 - caution, 33
 - quotation, 34
 - reference, 34

- caution boxes, 33
- central directory, installing classes, 15

- chapters, adding, 21
- citations, bibliographical, 26
- cite command, 26
- classes
 - custom, 11
 - default, 10
 - document, 10
 - installing, 14
 - options, 48
 - setting, 19
- command line, 13
- commands
 - author, 20
 - authoraffiliation, 20
 - cite, 26
 - date, 20
 - documentid, 20
 - documenttype, 20
 - include, 18
 - includeonly, 18
 - input, 18
 - printbibliography, 38
 - title, 20
- components, document, 23
- content directory, 18
- creating
 - documents, 19
 - subdirectory structure, 18
- cross-references, 27
- custom classes, 11

- date command, 20
- Debian, 12
- definition tables, 35
- DESY NetInstall
 - MiKTeX distribution, 12
 - TeXnicCenter editor, 13

- directories, 14
- distribution, installing LaTeX, 12
- document
 - classes
 - description, 10
 - setting, 19
 - components, 23
 - creating, 19
- document markup language, 10
- documentid command, 20
- documenttype command, 20
- Donald Knuth, 10
- downloading LaTeX
 - guide, 5
 - template, 14
- draftwatermark option, 48

- Editing site downloads
 - LaTeX guide, 5
 - LaTeX template, 14
- editor, installing LaTeX, 13
- environmens, optional, 49
- equations, 28
- European XFEL bibliography style, 24

- figures, 29
- filenames, 19
- footers, formatting, 20
- footnotes, 32
- formatting
 - footer, 20
 - title page, 20
- fullwidth environment, 49

- GIF files, 18
- guide, LaTeX
 - abstract, 5
 - downloading, 5

- images directory, 18
- inbook BibLaTeX
 - example, 52
 - type, 43
- include command, 18
- includeonly command, 18
- InDesign, Adobe, 10
- inproceedings BibLaTeX
 - example, 53
 - type, 44
- input command, 18
- installing
 - document classes, 14
 - central directory, 15
 - project directory, 14
 - LaTeX
 - distribution, 12
 - editor, 13
- itemized lists, 30

- JPG files, 18

- Knuth, Donald, 10

- language, document markup, 10
- LaTeX
 - downloading
 - guide, 5
 - template, 14
 - installing
 - distribution, 12
 - editor, 13
- letter class, 11
- Linux
 - distribution, TeXLive, 12
 - editors
 - TeXlipse, 13
 - TeXmaker, 13
- lists
 - itemized, 30
 - nested, 31
 - ordered list, 30

- MacOS
 - distribution, TeXLive, 12
 - editors
 - TeXlipse, 13
 - TeXmaker, 13
 - TeXShop, 13
- markup language, document, 10
- MiKTeX distribution, 12
- mvbook BibLaTeX
 - example, 52
 - type, 42
- nested lists, 31
- NetInstall, DESY
 - MiKTeX distribution, 12
 - TeXnicCenter editor, 13
- nosecnum option, 48
- notableofcontents option, 48
- notes
 - footnotes, 32
 - tip boxes, 33
- notitlepage option, 48
- numeric tables, 36
- online BibLaTeX
 - example, 53
 - type, 45
- options
 - classes, 48
 - environments, 49
- ordered lists, 30
- parts, adding, 21
- PDF
 - files, 18
 - LaTeX guide, 5
- pdfLaTeX, 12
- PNG files, 18
- printbibliography command, 38
- program, typesetting, 10
- project directory, installing classes, 14
- quotation boxes, 34
- reference boxes, 34
- references, bibliographical, 24
- releases, report, 6
- report
 - BibLaTeX
 - example, 53
 - type, 46
 - class, 10
 - versions, 6
- sections, adding, 21
- setting document classes, 19
- slides class, 11
- Squeeze, 12
- structure, creating subdirectory, 18
- style, European XFEL bibliography, 24
- subdirectory structure, creating, 18
- suffix, filename, 19
- supported BibLaTeX types, 39
- tables
 - definition, 35
 - formatting, 35
 - numeric, 36
- template, downloading LaTeX, 14
- Templates site downloads
 - LaTeX guide, 5
 - LaTeX template, 14
- TEX files, 18
- TeX program, 10
- TeXclipse editor, 13
- TeXLive distribution, 12
- TeXmaker editor, 13
- TeXnicCenter editor, 13
- TeXShop editor, 13
- thebibliography environment, 24
- thesis BibLaTeX
 - example, 53
 - type, 47

- tip boxes, 33
- title command, 20
- title page, formatting, 20
- twoside option, 48
- types, BibLaTeX
 - descriptions, 39
 - examples, 52
- typesetting program, 10

- Ubuntu, 12
- Unicode, 19
- usage, BibLaTeX, 38
- UTF-16, 19
- UTF-8, 19

- versions, report, 6

- Wheezy, 12
- Windows
 - distributions
 - MiKTeX, 12
 - TeXLive, 12
 - editors
 - TeXlipse, 13
 - TeXmaker, 13
 - TeXnicCenter, 13

- XFEL Docs site, 5